



Cleared Visitor Training Matrix

Additional training requirements for plant access may be required
(Reference MNL-352365)

	MAA	MAA	PPA/LA/PA
#PWM - PX Access	Zone 4/Zone 12S	Zone 4/Zone 12S	Property Protection Area/Limited Area/Protection Area
Requirements	HRP (Unescorted)	(Escorted)	(Unescorted)
PWM-PX Access Request Eflow-(POC Use Only) - see link above#	✓	✓	✓ Note 6
ARGUS Enrollment	✓	✓	✓
Course 603.24 - Pantex Visitor Orientation - HSPD-12 Visitors	✓	✓	✓ Note 6
Course 542.92 - Pantex Visitor Guide to Radiological Safety	Note 1	Note 1	Note 1
Course 7.03 ENT - General Employee Radiation Training (GERT) - Initial **	✓		
Course 7.06 and 7.10 Rad Worker I Training/Practical	Note 2	Note 2	
Course 7.04 and 7.12 Rad Worker II Training/Practical	Note 2	Note 2	
Facility Job Requirements	Note 3	Note 3	Note 3
Course 3.07 Nuclear Explosives Access Training	✓		
Course 3.08 HRP-PAP Off Plant Certification	✓		
Course 5.01 Explosive Safety Initial**	✓		
Course 31.01 Hazard Communication Initial - ENT**	✓		
Course 60.18 Fire Protection Safety Initial **	✓		
Course 141.01 Emergency Management Initial **	✓		
Course 145.01 Occupational Safety and Health Initial **	✓		
Course 541.79 TSR Controls for MAA Access	✓		
Course 543.10 Intro to Argus Compartmentation	✓		
Course 553.13 Procedures Adherence	✓		
Course 582.98 General Combustible Controls for 12-116	✓		
Course 1001.51 Revolving Cell Door Operations	✓		
Course 66.02 Comprehensive Security Briefing	Note 5	Note 5	Note 5
Course 66.15 CMPC Essentials	Note 5	Note 5	Note 5
Course 75.36 Cyber Security for Classified System User	Note 5	Note 5	Note 5
Course 633.20 ENT Annual Cybersecurity Training	Note 4, 5	Note 4, 5	Note 4, 5
Course 634.23 UCNI & Legacy OUO Info Awareness	Note 4, 5	Note 4, 5	Note 4, 5



Cleared Visitor Training Matrix

Additional training requirements for plant access may be required
 (Reference MNL-352365)

Training Curricula Codes	HRP-N	CVPA	CVLA
** Test Out Option available			
Notes: 1 - If dosimeter is required for entry to a Radiologically Controlled Area 2 - Depends on job requirements and/or facility requirements (RAD1 or RAD2) 3 - Facility job requirements as specified by the Facility Representative 4 - If access/use or work on Pantex computer equipment is required (COMP) 5 - If access/use or work is to be performed on a Pantex classified computer (CCS & COMP) 6 – Only required for initial visit if going no further than the PPA/LA/PA (ST 603.24 training is good for 5 years) 7 – Training required for 1 year following revision date listed.			
VIP Visitors - No Training Required			
Radiological Requirements MUST BE ADHERED TO regardless of visit length. Personnel serving as escorts must be familiar with and ensure compliance with the Pantex Radiological Control Manual Section 13.3.21.			
<p style="text-align: center;"><u>ACRONYMS/CURRICULA CODES</u></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>CCS – Classified Cyber Security</p> <p>CMPC – Classified Matter Protection and Control</p> <p>COMP – Computer Security</p> <p>CVLA – Cleared Visitor Limited Area</p> <p>CVPA – Cleared Visitor- Protected Area</p> <p>HRP-N – HRP Non Pantex MAA Access</p> <p>HSPD – Homeland Security Presidential Directive</p> <p>LA – Limited Area</p> <p>MAA – Material Access Area</p> <p>OUO – Official Use Only</p> </div> <div style="width: 45%;"> <p>PA – Protected Area</p> <p>PAP – Personnel Assurance Program</p> <p>POC – Point of Contact</p> <p>PPA – Property Protection Area</p> <p>PWM – Process Workflow Management</p> <p>RAD 1 – Rad Worker 1</p> <p>RAD2 – Rad Worker 2</p> <p>TSR – Technical Safety Requirements</p> <p>UCNI – Unclassified Controlled Nuclear Information</p> </div> </div>			